



2026 DEALER GUIDE

CENTER CONSOLES

**BUILT TOUGH AND RUGGED FOR AVID FISHERMAN WITH
LOW MAINTENANCE AND AFFORDABILITY**

16 TILLER

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 4 Persons/500 lbs.
Maximum Capacity 1050 lbs.
(Persons, Motor, Gear)



- Level Flotation
- Self-Bailing Cockpit w/ Non Skid Surface
- Stainless Steel Console Grab Rail

COCKPIT & DECK

- Stainless Steel Cleats (4 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (2 ea.)
- Navigational Lighting
- Rigging Tube / Console to Stern
- Raised Casting Platform
- Auto Bilge Pump
- Switch Panel

OPTIONS

- Extended Front Dock
- Colored Hull
- White Rud Rail
- Flip Up Bow Light
- Flush Mount Cleat 6"

<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
16'	900	6'5"	Portable	19"

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
50 HP	10°	20"

SEATING

- 2 Bench Seats

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



16 CENTER CONSOLE

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 4 Persons/550 lbs.
Maximum Capacity 1050 lbs.
(Persons, Motor, Gear)

- Level Flotation
- Self-Bailing Cockpit w/ Non Skid Surface
- Stainless Steel Console Grab Rail

COCKPIT & DECK

- Stainless Steel Cleats (4 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (2 ea.)
- Navigational Lighting
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler
- Bow Storage
- Auto Bilge Pump 800GPH

OPTIONS

- Extended Front Dock
- Colored Hull
- White Rud Rail
- Flip Up Bow Light
- Flush Mount Cleat 6"
- #2 Console Livewell and Door
- 3 Spoke Wheel

<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
16'	900	6'5"	Potable	19"

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
60 HP	10°	20"

ALUMINUM OPTIONS

- 32" Leaning Post w/ 3 Rod Holders, Footrest, Cooler Strap
- 32" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Underseat Storage, Cooler Strap

CONSOLE (#2 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions
- Steering - Mechanical
- Stainless Steel Steering Wheel
- Windshield
- Vertical Rod Holders (6)
- Switch Panel



MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



18 CENTER CONSOLE

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 5 Persons/650 lbs.
Maximum Capacity 1150 lbs.
(Persons, Motor, Gear)

- Level Flotation
- Self-Bailing Cockpit w/ Non Skid Surface
- Stainless Steel Console Grab Rail

COCKPIT & DECK

- Stainless Steel Rope Chocks (2 Ea)
- Stainless Steel Cleats (3 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4 ea.)
- Navigational Lighting
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler
- Bow Storage
- Auto Bilge Pump 800GPH
- Aft Storage Boxes Port and Starboard
- 25" Transom

CONSOLE (#2 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions
- Steering - Mechanical
- Stainless Steel Steering Wheel
- Windshield
- Vertical Rod Holders (6)
- Switch Panel w/ Secondary Fuse Panel



<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
18'	1780	7'2"	35 GAL	16"

OPTIONS

- Splash Board
- Trim Tabs w/ LED Switch 9x9
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Fwd 1.5in Rigging Tube
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Leaning Post Livewell Tank w/Bronze thru Hull, Valve
- Bow Casting Platform
- Forward Fish Boxes w/Cushions
- Raw Water Wash Down
- Aft Box Cushions
- Steering - Hydraulic
- #2 Console Livewell and Rear Door

<u>MAX HP</u>	<u>DEADRIDE</u>	<u>TRANSOM</u>
90 HP	10°	20"/25"

ALUMINUM OPTIONS

- 32" Leaning Post w/ 3 Rod Holders, Footrest, Cooler Strap
- 32" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, ¾ Grab Rail Underneath

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig

DUCK HUNTER SPECIAL

- OD Green exterior
- Desert Tan Interior
- Black Cleats and hatches
- Camo Cushions
- Rhino Line Leaning Post and Grab Rail



19 CENTER CONSOLE

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 6 Persons/775lbs
Maximum Capacity 1500 lb.
(Persons, Motor, Gear)

- Level Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail



LENGTH	WEIGHT	BEAM	FUEL CAPACITY	COCKPIT DEPTH AFT
18'6"	1850	7'10"	35 GAL	21"

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Bow Storage w/ Anchor and Rope Locker
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler / Helm
- Auto Bilge Pump

CONSOLE (#8 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions
- Steering - Mechanical No Feed Back
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel
- 6 Vertical Rod Holders

OPTIONS

- Splash Board
- Trim Tabs w/ LED Switch 9x9
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Fwd 1.5in Rigging Tube
- Bow Casting Platform
- Forward Fish Boxes w/Cushions
- Raw Water Wash Down
- **Aft Box Cushions**
- Steering Hydraulic
- Lift Out Storage Box
- Livewell Plumber Side Rear Box
- #10 Console w/ Livewell and Rear Door
- #2 Console Livewell and Rear Door

MAX HP
115 HP

DEADRIDE
16°

TRANSOM
25"

ALUMINUM OPTIONS

- 32" Leaning Post w/ 3 Rod Holders, Footrest, Cooler Strap
- 32" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



20CC / 200CC

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail



COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Battery / Storage Boxes (2ea)
- Bow Storage
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler / Helm
- Auto Bilge Pump

CONSOLE (#8 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions and Storage
- Rear Console Storage w/ Door
- Steering - Mechanical No Feed Back
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel

<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
20'4"	2280	8'0"	35 GAL	20-20" 200-24"

OPTIONS

- Splash Board
- Trim Tabs w/ LED Switch 9x9
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Fwd 1.5in Rigging Tube
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Leaning Post Livewell Tank w/Bronze thru Hull, Valve
- Bow Casting Platform
- Forward Fish Boxes w/Cushions
- Raw Water Wash Down
- Aft Box Cushions
- Steering Hydraulic

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
150 HP	10°	25"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



22CC / 220CC

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail



COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Battery / Storage Boxes (2ea)
- Bow Storage
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler / Helm
- Auto Bilge Pump

CONSOLE (#8 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions and Storage
- Rear Console Storage w/ Door
- Steering - Mechanical No Feed Back
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel

LENGTH	WEIGHT	BEAM	FUEL CAPACITY	COCKPIT DEPTH AFT
21'10"	2380	8'0"	66 GAL	22-20" 220-24"

OPTIONS

- Outboard Bracket
 - Single w/ or w/o Platform and Ladder
- Full Transom
- Trim Tabs w/ LED Switch 9x12
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Fwd 1.5in Rigging Tube
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Leaning Post Livewell Tank w/Bronze thru Hull, Valve
- Bow Casting Platform
- Forward Fish Boxes w/Cushions
- Raw Water Wash Down
- Aft Box Cushions
- Steering Hydraulic

MAX HP	DEADRIDE	TRANSOM
200 HP	10°	25"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



23CC

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail
-

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4 ea.)
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Auto Bilge Pump
- Battery / Storage Boxes (2 ea)
- Bow Storage

CONSOLE (#9 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions and Storage
- Side Console Storage w/ Door
- Steering – Hydraulic
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel



<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
22'4"	2430	8'0"	66 GAL	22"

OPTIONS

- Outboard Bracket
 - Single w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED switch 9x12
- Cockpit Bolsters
- Colored Hull
- White rub rail w/ ss insert
- Flip up bow light
- Flush mount cleat 8"
- Flush mount cleat 10"
- 3 spoke wheel with knob
- Fwd 2in rigging Tube
- Bow casting platform
- U Shaped Bow Seating w/ Cushions
- Forward Fish Boxes w/Cushions
- Premium Standard Leaning Post w/ Backrest, Folding Footrest, Large Livewell w/plumbing and Side Door
- Leaning Post Livewell Tank w/Bronze thru hull, valve
- Raw Water Wash Down
- Aft Box Cushions

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
225 HP	14°	25"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



25CC

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail
-

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (6 ea.)
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Auto Bilge Pump
- Battery / Storage Boxes (2 ea)
- Bow Storage

CONSOLE (#9 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions and Storage
- Side Console Storage w/ Door
- Steering – Hydraulic
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel



<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
24'11"	2800	9'6"	112 GAL	23"

OPTIONS

- Outboard Bracket
 - Single w/ or w/o Platform and Ladder
 - Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED switch 12x12
- Cockpit Bolsters
- Colored Hull
- White rub rail w/ ss insert
- Flip up bow light
- Flush mount cleat 8"
- Flush mount cleat 10"
- 3 spoke wheel with knob
- Fwd 2in rigging Tube
- Bow casting platform
- U Shaped Bow Seating w/ Cushions
- Forward Fish Boxes w/Cushions
- Premium Large Leaning Post w/ Backrest, Folding Footrest, Large Livewell w/plumbing and Side Door
- Leaning Post Livewell Tank w/Bronze thru hull, valve
- Aft Box Cushions
- Raw Water Wash Down
- Fresh Water System 25 Gallon

<u>MAX HP</u>	<u>DEADRIDE</u>	<u>TRANSOM</u>
300 HP	12°	25" / 30"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



26CC

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail
- Enclosed Transom

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (6 ea.)
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Auto Bilge Pump
- Battery / Storage Boxes (2 ea)
- Bow Storage
- Rod Storage Racks
- Enclosed Transom

CONSOLE (#7 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions and Storage
- Side Console Storage w/ Door
- Steering – Hydraulic
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel



	<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
	25'9"	3100 lb	8'9"	180 GAL	23"

OPTIONS

- Outboard Bracket
 - Single w/ or w/o Platform and Ladder
 - Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED switch 12x12
- Cockpit Bolsters
- Colored Hull
- White rub rail w/ ss insert
- Flip up bow light
- Flush mount cleat 8"
- Flush mount cleat 10"
- 3 spoke wheel with knob
- Fwd 2in rigging Tube
- Bow casting platform
- U Shaped Bow Seating w/ Cushions
- Forward Fish Boxes w/Cushions
- Premium Large Leaning Post w/ Backrest, Folding Footrest, Large Livewell w/plumbing and Side Door
- Leaning Post Livewell Tank w/Bronze thru hull, valve
- Raw Water Wash Down
- Fresh Water System 25 Gal
- Enclosed Head w/ Step Down
- Pulpit
- Cut Transom 30in Single, 25"/30" Twin

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
400 HP	17°	25"/30"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 RodHolders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



29CC

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail
- Enclosed Transom

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (6 ea.)
- Navigational Lighting
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Leaning Post w/ Cushion & 4 Rod Holders w/ Round back
- Auto Bilge Pump
- Battery / Storage Boxes (2 ea)
- Bow Storage
- Rod Storage Racks
- Enclosed Transom

CONSOLE (#7 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions and Storage
- Side Console Storage w/ Door
- Steering – Hydraulic
- Stainless Steel Steering Wheel
- Windshield
- Switch Panel w/ Secondary Fuse Panel



<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
29"	4380	10'4"	167 GAL	27"

OPTIONS

- Outboard Bracket
 - Single w/ or w/o Platform and Ladder
 - Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED switch 12x18
- Cockpit Bolsters
- Colored Hull
- White rub rail w/ ss insert
- Flip up bow light
- Flush mount cleat 8"
- Flush mount cleat 10"
- 3 spoke wheel with knob
- Fwd 2in rigging Tube
- Bow casting platform
- U Shaped Bow Seating w/ Cushions
- Forward Fish Boxes w/Cushions
- Premium Large Leaning Post w/ Backrest, Folding Footrest, Large Livewell w/plumbing and Side Door
- Leaning Post Livewell Tank w/Bronze thru hull, valve
- Raw Water Wash Down
- Enclosed head in console
 - Remove Single Tank and add 2 Fuel Tank 210 gals total, w/ Step down
- Pulpit
- Cut Transom 30in Single 25"/30" Twin

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
600 HP	15°	25"/30"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 Rod Holders, Folding Footrest, Under Seat Storage, Cooler Strap
- T-TOP w/ Canvas top, Ebox, Anchor Light, 2 Spreader Lights, 6 Rod Holders, $\frac{3}{4}$ Grab Rail Underneath
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 Rod Holders, Speaker Pods
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



238 PREDATOR

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail
-

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Flush Mount Cleats (5)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (6 ea.)
- Navigational Lighting w/Flip Up Bow Light
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Premium Leaning Post w/ Backrest, Folding Footrest, Large Livewell w/plumbing and Side Door
- Raw Water Wash Down
- **Fresh Water System 25 Gallon**
- Auto Bilge Pump
- Bow Storage

CONSOLE (#9 SPORT)

- Forward Console Seating w/ Cushions and Storage
- Side Console Storage w/ Door
- Steering – Hydraulic
- 3 spoke wheel with knob
- Windshield
- Rocker Switch Panel w/ Secondary Fuse Panel
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 RodHolders, Speaker Pods



<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
24'11"	2800	9'6"	112 GAL	23"

OTHER STANDARD FEATURES

- Outboard Bracket
Single w/ or w/o Platform and Ladder
Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead and Transom Fish Box
- Trim Tabs w/ LED switch 12x12
- White rub rail w/ ss insert

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
300 HP	12°	25"/ 30"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 RodHolders, Folding Footrest, Under Seat Storage, Cooler Strap
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

OPTIONS

- Cockpit Bolsters
- Colored Hull
- Fwd 2in rigging Tube
- Bow casting platform
- U Shaped Bow Seating w/ Cushions
- Forward Fish Boxes w/Cushions
- Matching Underside T-Top Color

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



259 PREDATOR

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Console Grab Rail
-

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Flush Mount Cleats (5)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (6 ea.)
- Navigational Lighting w/Flip Up Bow Light
- Heavy Duty Gunwale Molding
- Rigging Tube / Console to Stern
- Premium Large Leaning Post w/ Backrest, Folding Footrest, Large Livewell w/plumbing and Side Door
- Raw Water Wash Down
- Fresh Water System 25 Gallon
- Auto Bilge Pump
- Battery / Storage Boxes (2 ea)
- Bow Storage

CONSOLE (#9 SPORT)

- Forward Console Seating w/ Cushions and Storage
- Side Console Storage w/ Door
- Steering – Hydraulic
- 3 spoke wheel with knob
- Windshield
- Rocker Switch Panel w/ Secondary Fuse Panel
- T-TOP w/ Hard Top, Ebox, Anchor Light, 3 Spreader Lights, 2 Courtesy Lights, 6 RodHolders, Speaker Pods



<u>LENGTH</u>	<u>WEIGHT</u>	<u>BEAM</u>	<u>FUEL CAPACITY</u>	<u>COCKPIT DEPTH AFT</u>
24'11"	2800	9'6"	112 GAL	23"

OTHER STANDARD FEATURES

- Outboard Bracket
Single w/ or w/o Platform and Ladder
Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead and Transom Fish Box
- Trim Tabs w/ LED switch 12x12
- White rub rail w/ ss insert

<u>MAX HP</u>	<u>DEADRISE</u>	<u>TRANSOM</u>
300 HP	12°	25"/ 30"

ALUMINUM OPTIONS

- 36" Leaning Post w/ Backrest, 4 RodHolders, Folding Footrest, Under Seat Storage, Cooler Strap
- 2nd Station- Foldable, 2 Rod Holders, Ladder, Control Box. w/ Chase Tubes, Seat w/ Backrest, 2 Cup Holders
- Half Tower Hard Top, Control box, Seat Bottom/Backrest

OPTIONS

- Cockpit Bolsters
- Colored Hull
- Fwd 1.5in rigging Tube
- Bow casting platform
- U Shaped Bow Seating w/ Cushions
- Forward Fish Boxes w/Cushions
- Matching Underside T-Top Color

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig

