



2026 DEALER GUIDE

SPORT CABINS

**BUILT TOUGH AND RUGGED FOR AVID FISHERMAN WITH
LOW MAINTENANCE AND AFFORDABILITY**

www.chawkboats.net

222 SPORT CABIN

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Bow Rail
- Stainless Steel Cabin Hand Rail
- Safety Glass Windows
- Cabin Access Hatch

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Stainless Steel Bow Rail
- Navigational / Anchor Lighting
- Heavy Duty Gunwale Molding
- Battery Storage Boxes
- Auto Bilge Pump

CABIN

- Bow Storage
- Locking Berth Door w/ Folding Hatch
- Extended Hard Top
- Interior Lighting w/ Dome Light
- Stainless Steel Cabin Handrails
- Forward Access / Ventilation Hatch
- Pota Potti
- Seating –Deluxe Captain Chairs
- Steering - Hydraulic
- Stainless Steel Steering Wheel
- Sliding Side Windows
- Switch Panel
- Lined V-Berth
- Storage box Seat Bases on Port and Starboard Side
- Safety Glass Windows

OPTIONS

- Outboard Bracket
 - Single w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED Switch 9 x12
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Operational Front Windows
- Jump Seats in Rear
- Canvas Enclosures
- Raw Water Wash Down
- Berth Cushion Package
- Pulpit



LENGT
H

21'10"

WEIGH
I

2840

BEA
M

8'0"

MAX

HP
200 HP

DEADRIS

E
10°

FUEL
CAPCAITY

66 GAL

TRANSO

M
25"

COCKPIT DEPTH
AFT

220-24"

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



25 STANDARD CABIN

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Bow Rail
- Stainless Steel Cabin Hand Rail
- Safety Glass Windows
- Cabin Access Hatch

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Stainless Steel Bow Rail
- Navigational / Anchor Lighting
- Heavy Duty Gunwale Molding
- Battery Storage Boxes
- Auto Bilge Pump

CABIN

- Bow Storage
- Locking Pilot House Door
- Extended Hard Top
- Interior Lighting w/ Dome Light
- Stainless Steel Cabin Handrails
- Forward Access / Ventilation Hatch
- Mirror
- Instrument Panel
- Seating –Captain and Companion Fully Cushioned
- Steering - Hydraulic
- Stainless Steel Steering Wheel
- Sliding Side Windows
- Switch Panel
- Lined V-Berth
- Safety Glass Windows

OPTIONS

- Outboard Bracket
Single w/ or w/o Platform and Ladder
Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED Switch 12x12
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Operational Front Windows
- Jump Seats in Rear
- Raw Water Wash Down
- Berth Cushion Package
- Pulpit
- Hydraulic Steering Dual Station
- Deluxe Combination Battery Boxes/Livewell, w/ Plumbing (Cut Transom Only)



LENGT
H

24'11"

WEIGH
I

3600

BEA
M

9'6"

MAX
HP

300 HP

FUEL
CAPCAITY

112 GAL

DEADRIS
E


12°

TRANSO
M

25"/30"

COCKPIT DEPTH
AFT

23"



MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



25 SPORT CABIN

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Bow Rail
- Stainless Steel Cabin Hand Rail
- Safety Glass Windows
- Cabin Access Hatch

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Stainless Steel Bow Rail
- Navigational / Anchor Lighting
- Heavy Duty Gunwale Molding
- **Battery Storage Boxes 2**
- Auto Bilge Pump

CABIN

- Bow Storage
- Locking Pilot House Door
- Locking Companionway w/ Folding Hatch
- Extended Hard Top
- Interior Lighting w/ Dome Light
- Trunk Cabin Port Lights
- Stainless Steel Cabin Handrails
- Forward Access / Ventilation Hatch
- Mirror
- Instrument Panel
- Porta Potti
- Seating –Deluxe Captain Chairs w/Storage
- Steering - Hydraulic
- Stainless Steel Steering Wheel
- Sliding Side Windows
- Switch Panel
- V-Berth Lined, w/ Cushions and Storage
- Safety Glass Windows

OPTIONS

- Outboard Bracket
Single w/ or w/o Platform and Ladder
Twin w/ or w/o Platform and Ladder
- Full Transom with 3 hatch Bulkhead
- Transom Fish Box
- Trim Tabs w/ LED Switch 12x12
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Operational Front Windows
- Raw Water Wash Down
- Berth Cushion Package
- Pulpit
- Hydraulic Steering Dual Station
- Deluxe Combination Battery Boxes/Livewell, w/ Plumbing (Cut Transom Only)



LENGT	WEIGH	BEA	FUEL	COCKPIT DEPTH
<u>H</u>	<u>I</u>	<u>M</u>	<u>CAPCAITY</u>	<u>AFT</u>
24'11"	3600	9'6"	112 GAL	23"
<u>MAX</u>	<u>DEADRIS</u>	<u>TRANSO</u>		
<u>HP</u>	<u>E</u>	<u>M</u>		
300 HP	12°	25"/30"		

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



25 SPORT CABIN XL

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Bow Rail
- Stainless Steel Cabin Hand Rail
- Safety Glass Windows
- Cabin Access Hatch

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Stainless Steel Bow Rail
- Navigational / Anchor Lighting
- Heavy Duty Gunwale Molding
- 30" Roof Extension over Cockpit
- 8' Cockpit
- Full Transom 3 Hatch Bulkhead w/ Sink and Fish Box
- Raw Water Wash Down
- Integrated Pulpit
- Auto Bilge Pump

CABIN

- Bow Storage
- Locking Pilot House Door
- Locking Companionway w/ Folding Hatch
- Interior Lighting w/ Dome Light
- Trunk Cabin Port Lights
- Stainless Steel Cabin Handrails
- Forward Access / Ventilation Hatch
- Mirror
- Instrument Panel
- Porta Potti
- Seating –Deluxe Captain Chairs w/Storage
- Steering - Hydraulic
- Stainless Steel Steering Wheel
- Sliding Side Windows
- Switch Panel
- V-Berth Lined, w/ Cushions and Storage
- Safety Glass Windows
- 6'4" Headroom in Cabin

OPTIONS

- Outboard Bracket
Single w/ or w/o Platform and Ladder
- Twin w/ or w/o Platform and Ladder
- Trim Tabs w/ LED Switch 12x12
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 8"
- Flush Mount Cleat 10"
- 3 Spoke Wheel with Knob
- Operational Front Windows
- Raw Water Wash Down
- Berth Cushion Package
- Pulpit
- Hydraulic Steering Dual Station
- Lounge Seating, L shaped in Cabin
- Fresh Water System
- Cockpit Seat w/ Livewell
- Filler Cushion for V-Berth
- Spreader Lights 2+2
- Windlass Anchor

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



LENGT
H
24'11"

WEIGH
T
4500

BEA
M
9'6"
MAX
HP
400 HP

FUEL
CAPCAITY
112 GAL
DEADRIS
E
12°
TRANSO
M
Full

COCKPIT DEPTH
AFT
23"



29 CABIN

STANDARD SPECIFICATIONS & FEATURES

SAFETY

- Basic Flotation
- Self Bailing Cockpit w/ Non-Skid Surface
- Stainless Steel Bow Rail
- Stainless Steel Cabin Hand Rail
- Safety Glass Windows
- Cabin Access Hatch
- Enclosed Transom

COCKPIT & DECK

- Stainless Steel Rope Chocks
- Stainless Steel Cleats (5 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4ea.)
- Stainless Steel Bow Rail
- Navigational / Anchor Lighting
- Heavy Duty Gunwale Molding
- **Battery Storage Boxes**
- Full Transom 3 Hatch Bulkhead w/ Sink and Fish Box
- Raw Water Wash Down
- Auto Bilge Pump

CABIN

- Bow Storage
- Locking Pilot House Door
- Locking Companionway w/ Folding Hatch
- Extended Hard Top
- Interior Lighting w/ Dome Light
- Trunk Cabin Port Lights
- Stainless Steel Cabin Handrails
- Forward Access /Ventilation Hatch
- Mirror
- Instrument Panel
- Porta Potti
- Seating –Deluxe Captain Chairs w/Storage
- Steering - Hydraulic
- Stainless Steel Steering Wheel
- Sliding Side Windows
- Switch Panel
- V-Berth Lined, w/ Cushions and Storage
- Safety Glass Windows
- 6'4" Headroom in Cabin

OPTIONS

- Outboard Bracket
Single w/ or w/o Platform and Ladder
- Twin w/ or w/o Platform and Ladder
- Trim Tabs w/ LED Switch 12x18
- Cockpit Bolsters
- Colored Hull
- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 10"
- 3 Spoke Wheel with Knob
- Operational Front Windows
- Berth Cushion Package
- Pulpit
- Hydraulic Steering Dual Station w/ #5 Side Console
- Curtsain Enclosures
Side Curtains
- Back Drop
- Cut Transom

MOTOR OPTIONS

- Suzuki, Yamaha, Honda, Mercury
- Mechanical or Digital Pre-Rig



LENGT
H
29'

WEIGH
I
5700 lb

BEA
M
10'4"
MAX
HP
600 HP

FUEL
CAPCAITY
181 GAL
DEADRIS
E
15°
TRANSO
M
Full

COCKPIT DEPTH
AFT
27"

