



2026 DEALER GUIDE

SKIMMERS

**BUILT TOUGH AND RUGGED FOR AVID FISHERMAN WITH
LOW MAINTENANCE AND AFFORDABILITY**

16 SKIMMER

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 7 Persons
Maximum Capacity 1050 lbs.
(Persons, Motor, Gear)

- Level Flotation
- Self-Bailing Cockpit w/ Non Skid Surface
- Stainless Steel Console Grab Rail

COCKPIT & DECK

- Stainless Steel Cleats (3 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4 ea.)
- Navigational Lighting
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler
- Bow Storage
- Auto Bilge Pump 800GPH
- Aft Storage Boxes Port and Starboard
- 25" Transom

OPTIONS

- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Raw Water Wash Down
- #2 Console Livewell and Rear Door
- White Rub Rail w/ SS Insert

<u>LENGTH</u>	<u>WEIGH</u>	<u>BEA</u>	<u>FUEL</u>
<u>H</u>	<u>T</u>	<u>M</u>	<u>CAPCAITY</u>
16'0"	650lb	7'2"	TBD
<u>MAX</u>	<u>DEADRIS</u>	<u>TRANSO</u>	
<u>HP</u>	<u>E</u>	<u>M</u>	
65 HP	5°	25"	

CONSOLE (#2 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions
- Steering - Mechanical
- Stainless Steel Steering Wheel
- Windshield
- Vertical Rod Holders (6)
- Switch Panel w/ Secondary
Fuse Panel

MOTOR OPTIONS

- Suzuki, Yamaha, Honda,
Mercury
- Mechanical or Digital Pre-Rig



18 SKIMMER

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 9 Persons
Maximum Capacity 1250 lbs.
(Persons, Motor, Gear)

- Level Flotation
- Self-Bailing Cockpit w/ Non Skid Surface
- Stainless Steel Console Grab Rail

COCKPIT & DECK

- Stainless Steel Cleats (3 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4 ea.)
- Navigational Lighting
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler
- Bow Storage
- Auto Bilge Pump 800GPH
- Aft Storage Boxes Port and Starboard
- 25" Transom

OPTIONS

- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Raw Water Wash Down
- #8 Console Livewell and Rear Door
- White Rub Rail w/ SS Insert

<u>LENGTH</u>	<u>WEIGH</u>	<u>BEA</u>	<u>FUEL</u>
<u>H</u>	<u>T</u>	<u>M</u>	<u>CAPCAITY</u>
18'0"	650lb	7'2"	TBD
<u>MAX</u>	<u>DEADRIS</u>	<u>TRANSO</u>	
<u>HP</u>	<u>E</u>	<u>M</u>	
75 HP	5°	25"	

CONSOLE (#8 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions
- Steering - Mechanical
- Stainless Steel Steering Wheel
- Windshield
- Vertical Rod Holders (6)
- Switch Panel w/ Secondary
Fuse Panel

MOTOR OPTIONS

- Suzuki, Yamaha, Honda,
Mercury
- Mechanical or Digital Pre-Rig



21 SKIMMER

STANDARD SPECIFICATIONS & FEATURES

SAFETY

Person Capacity 7 Persons
Maximum Capacity 1050 lbs.
(Persons, Motor, Gear)

- Level Flotation
- Self-Bailing Cockpit w/ Non Skid Surface
- Stainless Steel Console Grab Rail

COCKPIT & DECK

- Stainless Steel Cleats (3 ea.)
- Stainless Steel Bow & Stern Eyes
- Stainless Steel Rod Holders (4 ea.)
- Navigational Lighting
- Rigging Tube / Console to Stern
- Seating - Flip Back Cooler
- Bow Storage
- Auto Bilge Pump 800GPH
- Aft Storage Boxes Port and Starboard
- 25" Transom

OPTIONS

- White Rub Rail w/ SS Insert
- Flip up Bow Light
- Flush Mount Cleat 6"
- Flush Mount Cleat 8"
- 3 Spoke Wheel with Knob
- Raw Water Wash Down
- #2 Console Livewell and Rear Door
- White Rub Rail w/ SS Insert

<u>LENGTH</u>	<u>WEIGH</u>	<u>BEA</u>	<u>FUEL</u>
<u>H</u>	<u>T</u>	<u>M</u>	<u>CAPCAITY</u>
21'0"	950lb	8'0"	TBD
<u>MAX</u>	<u>DEADRIS</u>	<u>TRANSO</u>	
<u>HP</u>	<u>E</u>	<u>M</u>	
115HP	5°	25"	

CONSOLE (#2 SPORT)

- Stainless Steel Console Grab Rail
- Forward Console Seating w/ Cushions
- Steering - Mechanical
- Stainless Steel Steering Wheel
- Windshield
- Vertical Rod Holders (6)
- Switch Panel w/ Secondary
Fuse Panel

MOTOR OPTIONS

- Suzuki, Yamaha, Honda,
Mercury
- Mechanical or Digital Pre-Rig

